

ATREVIA[®] TRIO CATS




SPOT ON

EXCEPTIONAL PROTECTION

Fluralaner • Moxidectin • Praziquantel



UNIQUE FORMULATION



Controls:

- Fleas
- Ticks
- Mites
- Tapeworms

- Heart nematodes
- Gastrointestinal nematodes
- Pulmonary nematodes
- Hookworms



*Against fleas, ticks and mites.



PULMONARY NEMATODES

- *Aelurostrongylus* spp.



HEART NEMATODES

- *Dirofilaria immitis* (L3 and L4)




GASTROINTESTINAL NEMATODES

- *Toxocara* spp.
- *Ancylostoma* spp.
- *Toxascaris* spp.



TAPEWORMS

- *Dipylidium caninum*
- *Taenia taeniaeformis*



FLEAS

- *Ctenocephalides felis*



TICKS

- *Rhipicephalus sanguineus*
- *Dermacentor reticulatus*
- *Ixodes ricinus*
- *Ixodes holocyclus*
- *Ixodes hexagonus*



MITES

- *Otodectes cynotis*
- *Notoedres cati*
- *Demodex gatoi*
- *Demodex cati*
- *Lynxacarus radovskyi*

Route of Administration and Dose

It is administered topically according to the weight of the cat, 1 pipette **quarterly**.

Repeatedly administered at 12-week intervals, use continuously prevents *Dirofilariosis*.

Its use is recommended when treatment against external parasites, nematodes and cestodes is required at the same time.

	SMALL	MEDIUM	LARGE
Weight presentation	1.2-2.8 kg	2.9-6.25 kg	6.3-12.5 kg
Fluralaner	112.50 mg	250.00 mg	500.00 mg
Moxidectin	5.60 mg	12.50 mg	25.00 mg
Praziquantel	36.00 mg	80.00 mg	160.00 mg
Excipients q.s.ad	0.40 mL	0.89 mL	1.79 mL
Pipette	0.40 mL	0.89 mL	1.79 mL

✓ For cats weighing more than 12.5 kg administer an appropriate combination of pipettes as indicated.

⚠ Not recommended for use in cats under 9 weeks of age and/or under 1.2 kg of weight.

*Against fleas, ticks and mites.