Injectable solution

Doramec® L.A.



*Its action depends on the species to which it is applied

Doramectin 1%


45 days of action

A new choice in Doramectin formulations. Long-acting effect





Doramec® L.A.



45
days of action

Long-lasting endectocide action
Easy to inject

LONG AND PERSISTENT ACTIVITY

Due to its lipid solubility, volume of distribution, and slow-release vehicle, Doramec® L.A. remains in the body for an extended period.

INDICATIONS

- **Internal parasites:**
  Gastrointestinal nematodes and lungworms
- **External parasites:**
  Myiasis-causing larvae, mange mites, sucking and biting lice, and ticks (Rhipicephalus microplus and Amblyomma parvitarsum). Aids in the control of horn flies (Haematobia irritans).





Dosage and administration route

Administer via subcutaneous or deep intramuscular injection:

Ruminants: 1 mL per 50 kg b.w.

Pigs: 1 mL per 33 kg b.w.

Agrovet MARKET

For more information:
sales@agrovetmarket.com
+51 (1) 2 300 300 Ext. 101 / +51 922 926 786
www.agrovetmarket.com
Av. Canada 3792 - 3798
San Luis, 15021 - Lima - Peru

TÜVRheinland CERTIFIED
Management System
ISO 9001:2015
ISO 27001:2022
www.tuv.com
ID 9105063844