
Vequinax WS

Echinacea purpurea extract 25%
(Eq. to chicoric acid 0.4 g)/ q.s.ad. 100 g

THE NATURAL FACTOR

IMMUNOSTIMULANT
NUTRACEUTICAL
SUPPLEMENT
OF NATURAL
ORIGIN

EXCELLENT IMMUNE SYSTEM ENHANCER



Premix

Soluble Powder

Vequinax WS

THE NATURAL FACTOR

Vequinax WS is a nutraceutical supplement of natural origin, whose essential component is ***Echinacea purpurea*,** a wild plant of the *Asteraceae* family with extraordinary properties that enhance the immune system.

POWERFUL IMMUNE SYSTEM *STIMULANT*

OPTIMIZES CONVERSION RATIO
and decreases the mortality rate.

NO WITHDRAWAL PERIOD for meat and eggs.

Significantly **IMPROVES SERUM ANTIBODY** levels and post-vaccination antibody titers.

High **TOLERANCE** and **PALATABILITY,** ideal for All livestock tspecies.

PREVENTIVE and **THERAPEUTIC SUPPLEMENT** in case of various infections and bacterial and viral diseases:

Swine: Swine fever, swine flu, PRRS and porcine circovirus.
Poultry: Gumboro disease, Newcastle disease and avian influenza.



5 ACTIONS THAT BOOST THE IMMUNE SYSTEM

ANTIBACTERIAL ACTION

Inhibits the enzyme hyaluronidase secreted by bacteria, thereby preventing access to the body's cells.

IMMUNOMODULATORY ACTION

- Stimulates monocyte differentiation into macrophages and promotes phagocytosis of pathogenic organisms.
- Promotes the release of T lymphocytes and stimulates the production of interleukins.



ANTI-INFLAMMATORY ACTION

Inhibits two key enzymes (cyclooxygenase and 5-lipoxygenase), involved in the inflammatory response.

ANTIOXIDANT ACTION

Prevents oxidative damage thanks to phenolic acids present in its composition.

ANTIVIRAL ACTION

- Inhibits viral replication.
- It stimulates secretion of interferon involved in the antiviral response.



Vequinax WS

THE NATURAL FACTOR



100 g

FORMULA

Echinacea purpurea extract 25% / c.s.p. 100 g
(Eq. to chicoric acid 0.4 g)

DOSAGE AND ADMINISTRATION

It should be administered orally in the drinking water or feed.

Poultry and swine
General dose: 50-100 g / 200 L of water or 50-100 kg of feed.

Adult horses and cattle: 1-2 g/50 kg b.w.
Young equines and cattle, goats, sheep and alpacas: 1-2 g/animal.
Dogs and cats: 1 g/10 kg b.w.
Guinea pigs and ornamental birds: 0.3-0.5 g/animal.

Adjunctive therapy in viral diseases	100 g / 150 L of water or 100 kg of feed for 5-7 days.
Broiler chickens, ducks and turkeys	100 g / 200 L of water after vaccination; or use between 1-3 days of age and from there, every 10 days for 3 days.
Layers	Use 3 days each month or after vaccination, 100 g / 200 L of water.

Piglets	Mix 100 g / 100 kg of feed for two weeks.
Pigs between 13 and 17 weeks of age	100 g / 150 kg feed or 300 L of water for 3-5 days
Sows	100 g / 150 kg of feed (or 300 L of water), use 7 days before the service, 7 days after delivery and/or 7 days after weaning for 3-5 days.

Avivet®

For more information:
sales@agrovetmarket.com
+51 (1) 2 300 300 Ext. 101 / +51 922 926 786
www.avivet.net
Av. Canada 3792 - 3798
San Luis, 15021 - Lima - Peru

TÜVRheinland CERTIFIED
Management System
ISO 9001:2015
ISO 27001:2022
www.tuv.com
ID 9105063844