

CONTRADIAL® WS

Powder for Oral Suspension

Antibiotic - Antispasmodic - Antitoxic adsorbent -
Mucosal protector - Vitaminized



Formulation

Each 12 g contain: Neomycin Sulfate 400 mg, Streptomycin Sulfate 400 mg, Sulfaguanidine 4 g, Kaolin 4 g, Pectin 400 mg, Bismuth Subnitrate 2 g, Vitamin A acetate 80,000 IU, Excipients q.s.ad. 12 g.

Indications

Treatment and control of diarrhea, bacterial enteritis (colibacillosis, salmonellosis, dysentery), enterotoxemia, enterocolitis, gastroenteritis and other digestive disorders due to sensitive microorganisms, indigestion, impaction and other symptoms. Antidiarrheal and intestinal antiseptic. Intestinal mucosa protector (from toxins, gases or other toxic substances of organic or inorganic origin).

Dosage and Administration

Oral route, as single dose or dissolved in drinking water, milk or mixed in feed. Cattle, horses, swine, sheep, goats, camelids: 3-6 g/10 kg of weight. In drinking water, swine: 1 kg/250-300 L. Poultry: 1 kg/150-200 L. Repeat the dose after 12 hours if necessary. As single dose, dissolve the dose in sufficient quantity of water or milk, shake well and administer with tube or bottle.

Commercial Presentation

SENASA Registry

F.082.070.I.01064



Este contenido es una referencia informativa y no debe ser considerado como recomendaciones de uso.