ENROFLOX® 10

Injectable Solution

Thrid-generation quinolone





Formulation

Enrofloxacin 100 mg, excipients q.s.ad. 1 mL

Indications

For the treatment of infectious diseases caused by Gram positive and Gram negative bacteria; and mycoplasmas sensitive to enrofloxacin, mainly of the respiratory, genito-urinary and digestive tract, ear canal and skin. Bovine respiratory disease, colibacillosis, salmonellosis, pneumonia, bronchopneumonia, mycoplasmosis, dermatitis, mastitis-metritis-agalactia, rhinitis, among others.

Dosage and Administration

Cattle, sheep, goats, camelids and swines: 1 mL/20-40 Kg, subcutaneous or intramuscular route; horses: its use is controversial, the product recommended at dosage of 1 mL/40 Kg if only a veterinary recommends it. Dogs: 1 mL/20-40 Kg every 12 hours, subcutaneous or intramuscular route. Cats: 0.1 mL/4 Kg or 0.1 mL/2 Kg, subcutaneous or intramuscular route; poultry: 0.15 mL/ Kg intramuscular route.

Commercial Presentation

Bottle x 100 mL,

SENASA Registry

SENASA Perú: F.69.01.N.0009

Este contenido es una referencia informativa y no debe ser considerado como recomendaciones de uso.

Copyright © 2026 Agrovet Market S.A.