PEN L.A.® 15/15

Injectable Suspension

Long Action Penicillanic Association





Formulation

Each 100 mL contains: Benzathine Penicillin G 15 000 000 IU, Procaine Penicillin G 15 000 000 IU,Excipients c.s.p. 100 mL

Indications

For the treatment and control of infections caused by those microorganisms that are sensitive to penicillin and when long-acting therapy is required. Recommended in cases of arthritis, mastitis and gastrointestinal and respiratory and urinary tract infections caused by microorganisms sensitive to penicillin such as those of the Campylobacter, Clostridium, Corynebacterium, Erysipelothrix, Haemophilus, Listeria, Pasteurella, Streptococcus and Staphylococcus-negative Staphylococci genera.

Dosage and Administration

Intramuscular route bovines, sheep, goats, pigs, South American camelids and horses: 1 ml per 25 kg. Canines and felines: 1 ml per 10 kg. A single injection, if necessary, repeat the treatment after 3 days.

Commercial Presentation

Bottle x 50 mL, Bottle x 100 mL, Bottle x 250 mL,

SENASA Registry

SENASA Perú: F.82.85.I.0069

Este contenido es una referencia informativa y no debe ser considerado como recomendaciones de uso.

Copyright © 2026 Agrovet Market S.A.