PLEUROTIL® 250 OS

Oral Solution

Macrolide Antibacterial with Selective Pulmonary Affinity





Formulation

Each 100 mL contain: Tilmicosin 25 g, excipients q.s. ad 100 mL.

Indications

Chicken and turkeys: respiratory infections caused by Mycoplasma gallisepticum, Mycoplasma synoviae, Ornithobacterium rhinotracheale, Pasteurella multocida and other microorganisms sensitive to tilmicosin. Pigs: treatment of respiratory infections caused by Pasteurella multocida, Pasteurella haemolytica, Mycoplasma spp., Bordetella bronchiseptica, Staphylococcus aureus, Erysipelothrix rhusiopathiae, Klebsiella spp., Haemophilus parasuis, Salmonella spp., Pseudomonas spp., and Streptococcus spp., among other microorganisms sensitive to tilmicosin. Calves: cattle respiratory syndrome associated to Mannhemia haemolytica and Pasteurella multocida. Treatment of interdigital necrobacillosis.

Dosage and Administration

By oral route, with drinking water. Poultry: 300 mL/1000 L, during 3 days. Pigs: 800 mL/1000 L during 5 days, in drinking water. Cattle and minor ruminants: 1 mL/20 kg of body weight during 3 - 5 days.

Commercial Presentation

Bottle x 100 mL, Bottle x 1 L,

SENASA Registry

SENASA Perú: F.03.32.I.1816

Este contenido es una referencia informativa y no debe ser considerado como recomendaciones de uso.

Copyright © 2026 Agrovet Market S.A.