

TYLO-SULPRIM®

Injectable Solution

Antibiotic. Broad-Spectrum synergistic antibiotic association



Formulation

Each 1 mL contains: Tylosin Tartrate 50 mg Sulfamethoxypyridazine 150 mg Trimethoprim 30 mg
Excipients q.s.ad. 1 mL

Indications

Tylo-Sulprim® is indicated for the treatment of respiratory tract infections, digestive tract infections, urogenital tract infections, pneumonia, colibacillosis, mastitis, metritis, enteritis and other infectious diseases in cattle, sheep, goats and poultry caused by germs sensitive to the combination of sulfamethoxypyridazine, trimethoprim and tylosin. Species-specific indications include: Cattle, sheep and goats: Respiratory infections caused by *Pasteurella multocida*, *Arcanobacterium pyogenes* or *Fusobacterium necrophorum*, digestive infections caused by *E. coli* and other infectious conditions (colisepticemia, polyarthritis, calf diphtheria, navel infections), to reduce the incidence of hepatic abscesses caused by *Fusobacterium necrophorum* and *Arcanobacterium* (*Corynebacterium* spp...) *pyogenes*, foot infections caused by *Fusobacterium necrophorum*, *Actinomyces* spp.) *pyogenes*, foot infections caused by *Fusobacterium necrophorum*. Pigs: Respiratory infections caused by *Pasteurella multocida*, *Mycoplasma hyopneumoniae*, *Actinobacillus Pleuropneumoniae*, urogenital infections of bacterial origin (cystitis, vaginitis, urethritis, endometritis, metritis, nephritis), digestive infections of bacterial origin (gastroenteritis, colibacillosis, colienterotoxemia, salmonellosis, bacterial diarrhea), ileitis (caused by *Lawsonia intracellularis* and other pathogens sensitive to tylosin), for the treatment of swine dysentery associated with *Brachyspira* (*Serpulina*, *Treponema*) *hyodysenteriae*, mycoplasmal arthritis caused by *Mycoplasma hyosynoviae*, infections caused by *Streptococcus* spp. and *Haemophilus parasuis*. Poultry: Respiratory infections of bacterial origin (Chronic Respiratory Disease and Complicated Chronic Respiratory Disease associated with *E. coli*, infectious coryza caused by strains of *Avibacterium paragallinarum*, complications of bronchitis and infectious laryngitis), digestive infections (gastroenteritis, Colibacillosis, cholenterotoxemia, Salmonellosis, bacterial diarrhea).



Este contenido es una referencia informativa y no debe ser considerado como recomendaciones de uso.

Dosage and Administration