TYLVAX® OS

Oral Solution

Next Generation Macrolide Antibiotic.



Formulation

Each 100 mL contains: Tilvalosina (as tartrate) 10 g , excipients c.s.p 100 mL

Indications

Treatment and prevention of respiratory and enteric diseases caused by Tylvalosin sensitive microorganisms, mainly:· Chickens, roosters and turkeys: chronic respiratory disease (CRD), airsacculitis and infectious sinusitis caused by Mycoplasma gallisepticum, Mycoplasma synoviae and Mycoplasma meleagridis (turkeys). Necrotic enteritis associated with Clostridium perfringens, bacterial enteritis, ORT (Ornithobacterium rhinotracheale).· Pigs: mycoplasmosis, mycoplasmal (enzootic) pneumonia caused by M. hyopneumoniae, porcine proliferative enteropathy (PPE), porcine ileitis caused by Lawsonia intracellularis, porcine dysentery caused by Brachyspira hyodysenteriae, porcine colitis caused by B. pilosicoli, and others.

Dosage and Administration

Poultry (chickens, turkeys and replacement cocks): · Preventive: 200-250mL / 200L of water the first 3 days of life and 100 - 150mL / 200L water 3 - 4 more days or in subsequent stress situations. Therapeutic: 200 - 250 mL / 200L of water for 3 days. Pigs: · Preventive: 500 mL / 1000 L water, Therapeutic: 500 - 1000 mL / 1000 L water"

Commercial Presentation

Bottle x 100 mL, Bottle x 500 mL, Bottle x 1 L, Dropper Bottle x 30 mL,

SENASA Registry

Este contenido es una referencia informativa y no debe ser considerado como recomendaciones de uso.

Copyright © 2026 Agrovet Market S.A.