UBREMINT® SPRAY

Topical Spray Solution

Cicatrizante, Repelente y Rubefaciente



Formulation

Each 100 mL contains: Eucalyptus globulus oil 15 mL, Cedrus deodara oil 5 mL, Cymbopogon citratus oil 5 mL, Ocimum basilicum oil 5 mL, Curcuma longa oil 5 mL, Excipients q.s. ad 100 mL

Indications

Indicated for the management of inflammatory udder conditions, as an adjunct in the treatment of clinical and subclinical mastitis and postpartum edema, wounds, ulcers, cracks, sore teats and udder burns, and for the prevention of secondary infections.

Dosage and Administration

External topical use. Clean the affected udder and spray from a distance of 15 centimeters, ensuring homogeneous coverage of the affected area and surrounding regions. Apply two to three times daily, preferably after milking and according to the veterinarian’s recommendation. Continue treatment until complete skin recovery and disappearance of inflammatory signs. No rinsing required, allowing prolonged action of the phytoactives.

Commercial Presentation

Aluminum pressurized spray container x250 mL, Pressurized aluminum spray container, 100 mL,

SENASA Registry

No requiere

Este contenido es una referencia informativa y no debe ser considerado como recomendaciones de uso.

Copyright © 2026 Agrovet Market S.A.