



Formulation

Each 100 mL contain: Nucleotides1 500 mg, taurine 400 mg, L-carnitine 200 mg, DL-Methionine 500 mg, L-Lysine (as hydrochloride) 250 mg, L-Threonine 50 mg, L-Tryptophan 7.5 mg, L-Histidine (as hydrochloride) 90 mg, L-Arginine (as hydrochloride) 49 mg, L-Aspartic acid 145 mg, L-Serine 68 mg, glutamic acid 116 mg, L-Proline 51 mg, glycine 57.5 mg, L-Alanine 97.5 mg, L-Cysteine (as hydrochloride) 15 mg, L-Valine 110 mg, L-Leucine 115 mg, L-Isoleucine 12.5 mg, L-Tyrosine 34 mg, L-Phenylalanine 81 mg, vitamin A (as retinol palmitate) 250 000 IU, vitamin D3 (as cholecalciferol) 50,000 IU, vitamin E (as alpha tocopheryl acetate) 375 mg, vitamin K3 (as menadione sodium bisulfite) 25 mg, vitamin B1 (as thiamine hydrochloride) 350 mg, vitamin B2 (as riboflavin 5 sodium phosphate) 400 mg, vitamin B3 (as nicotinamide) 1 000 mg, vitamin B5 (as calcium pantothenate) 1 500 mg, vitamin B6 (as pyridoxine hydrochloride) 200 mg, vitamin B7 (Biotin) 0.2 mg, vitamin B9 (as folic acid) 25 mg vit amine B12 (cyanocobalamin) 1 mg, vitamin BH (such as Inositol) 0.3 mg, essential fatty acids 50 mg, sodium selenite 12.5 mg, potassium iodide 50 mg, Cobalt gluconate 50 mg, copper-edetate 20 mg, manganese-edetate 100 mg, zinc-edetate 300 mg, iron-edetate 21 mg, sodium chloride 1 000 mg, potassium chloride 825 mg, magnesium sulfate 45.5 mg, citric acid 300 mg, excipients csp 100 mL

Indications

As a support for the recovery of post-surgery animals, sick, weak or elderly animals and as a health promoter for puppies. It also helps cats with eating or drinking problems. Specific indications: catabolic stress situations, support for patients with IG, pancreatitis, chronic kidney failure, liver problems, difficulty or problems eating or drinking in recovery periods, after surgery or before therapeutic diets. Prolonged anti-biotherapies, dehydration and adjuvant in cases of infections and intoxications, as a supplement in newborn animals, improving the response to immunization and post-vaccination nutritional reinforcement in kittens and to support the recovery of weakened, sick or convalescent animals. administration of medications and supplements, especially those of low palatability. Pets that do not drink enough water and consequently may suffer from urinary stones.

Dosagetanch Administrationencia informativa y no debe ser considerado como recomendaciones de uso.

Orally, directly, with food or in drinking water, at a rate of 1 to 2 mL per 5 kg daily, once

Copyright © 2024 Agrovet Market S.A.